

SAFETY DATA SHEET



1. Product and Company Identification

Product identifier See Clear Lens Cleaning Wipes SDS 0008-00

Other means of identification Not available

Recommended useLens Cleaner. Equipment Care (Pre-saturated wipe).

Recommended restrictions None known.

Manufacturer Professional Disposables International, Inc.

Two Nice-Pak Park, Orangeburg, NY 10962-1376

Or distributed by:

Professional Disposables International, Ltd.

Vaughan, Ontario L4L 4K9 Canada

Phone: (USA) 1-845-365-1700 (M-F 9am - 5pm)

Phone: (CANADA) 1-800-263-7067 Emergency Phone: 1-800-999-6423

2. Hazards Identification

Physical hazardsFlammable liquidCategory 3Health hazardsSerious eye damage/eye irritationCategory 2B

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Flammable liquid and vapor. Causes eye irritation.

Precautionary statement

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Wash thoroughly after handling.

Response In case of fire: Use appropriate media to extinguish.

If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and

continue rinsing. If eye irritation persists: Get medical advice/attention.

Specific treatment (see this label).

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Not applicable.

3. Composition/Information on Ingredients

 Mixture
 Chemical name
 Common name and synonyms
 CAS number
 %

 Ethanol
 64-17-5
 3 - 7

 Isopropyl Alcohol
 67-63-0
 10-30

4. First Aid Measures

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Skin contact Obtain medical attention if irritation develops.

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue flushing for

15 minutes. Obtain medical attention if irritation develops or persists.

Ingestion Not a normal route of exposure.

Page: 1 of 8 Issue date 15-May-2015

Most important symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. If you feel unwell, seek medical advice (show the label where possible). Show this safety data sheet to the doctor in attendance.

5. Fire Fighting Measures

Suitable extinguishing media

Unsuitable extinguishing media

Alcohol resistant foam. Carbon dioxide. Dry chemical. Water fog. Water. None known.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Firefighters should wear full protective clothing including self contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes. Move product from fire area if you can do so without risk.

Specific methods

equipment/instructions

Fire-fighting

Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes.

Flammable solid. General fire hazards

Hazardous combustion

products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical

impact

Not available.

Not available.

Sensitivity to static

discharge

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from discarded material. Prevent entry into waterways, sewers or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Do not discharge into lakes, streams, ponds or public waters.

7. Handling and Storage

Precautions for safe handling

Use only in a well ventilated area. Keep away from flames such as a pilot light, and any object that sparks, such as an electric motor.

KEEP OUT OF REACH OF CHILDREN. Not for use with contact lenses. Does not contain Isopropyl alcohol. Prior to use, consult manufacturer's instructions for cleaning.

Remove any harmful surface grit prior to cleaning. Open packet and unfold cloth. Gently clean surface and allow to dry. DO NOT FLUSH. Energized Equipment use only. Not to be used for motorized vehicle maintenance or their parts.

For personal protection, see section 8 of the SDS.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials (see Section 10 of the SDS).

Keep away from heat, sparks and open flame.

Store in a cool, dry, well-ventilated place.

Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value
Ethanol (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm

Isopropyl Alcohol (CAS PEL 67-63-0)

400 ppm

980 mg/m3

US. ACGIH Threshold Limit Values

Components	Type	Value
Ethanol (CAS 64-17-5)	STEL	1000 ppm
Isopropyl Alcohol (CAS 67-63-0)	STEL	400 ppm
07-00-0)	TWA	200 ppm

HC NICCH, Docket Cuide to Chemical Hararda

Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1900 mg/m3 1000 ppm	
Isopropyl Alcohol (CAS 67-63-0)	STEL	1225 mg/m3	
o. co o,		500 ppm	
	TWA	980 mg/m3 400 ppm	

Biological limit values

ACGIH Biologica	I Exposure Indices
------------------------	--------------------

Components	Value	Determinant	Specimen	Sampling Time
Isopropyl Alcohol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

See above **Exposure guidelines**

Appropriate engineering

controls

Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Not normally required when used as directed.

Skin protection

Not normally required when used as directed. **Hand protection**

Other Not normally required.

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Not available.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. When using do not eat or drink. When using do not

smoke.

9. Physical and Chemical Properties

Liquid saturated on wipe **Appearance**

Solid. Physical state

Solid. Pre-moistened towelette. **Form** Clear, colorless on a wipe Color

Slight Alcohol Odor Not available. **Odor threshold** pН 7.5 (liquid) Not available. Melting point/freezing point Not available. Initial boiling point and boiling

range

Not available. Pour point 0.905 (Liquid) Specific gravity **Partition coefficient** Not available

(n-octanol/water)

Page: 3 of 8

Issue date 15-May-2015

Flash point 80 °F (26.7 °C) Closed Cup (Liquid)

Evaporation rate Not available **Flammability (solid, gas)** Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Proper pressure Not available.

Vapor pressureNot availableVapor densityNot availableRelative densityNot available

Solubility(ies) Wipe material is not soluble in water

Auto-ignition temperatureNot availableDecomposition temperatureNot availableViscosityNot available

10. Stability and Reactivity

Reactivity This product may react with strong acids and strong oxidizing agents.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Chemical stability Stable at normal conditions.

Conditions to avoid Avoid temperatures exceeding the flash point. Heat, flames and sparks. Do not mix with other

chemicals.

Incompatible materials Acids. Oxidizers.

Hazardous decomposition

products

May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure Inhalation. Ingestion. Skin contact. Eye contact.

Information on likely routes of exposure

Ingestion Not applicable under normal conditions of use.

Inhalation Health injuries are not known or expected under normal use.

Skin contactNo adverse effects due to skin contact are expected.

Eye contact Direct contact with eyes may cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Components Species Test Results

Ethanol (CAS 64-17-5)

Acute Dermal

LD50 Not available

Inhalation

LC50 Mouse 39 mg/l, 4 Hours

Rat 31623 ppm, 4 Hours

20000 ppm, 10 Hours

Page: 4 of 8 Issue date 15-May-2015

Oral

LD50 Dog 5500 mg/kg

 Guinea pig
 5600 mg/kg

 Mouse
 3450 mg/kg

 Rat
 7060 mg/kg

Isopropyl Alcohol (CAS 67-63-0)

Dermal Rabbit 12800 mg/kg

LD50

Inhalation Rat 16970 mg/l/4h

LC50 Oral

LD50 Dog 4797 mg/kg

 Mouse
 3600 mg/kg

 Rabbit
 5030 mg/kg

 Rat
 4396 mg/kg

Skin corrosion/irritation May cause irritation.

Exposure minutesNot available.Erythema valueNot available.Oedema valueNot available.

Serious eye damage/eye

irritation

Direct contact with eyes may cause irritation.

Corneal opacity value Not available.

Iris lesion valueNot available.Conjunctival reddeningNot available.

value

Conjunctival oedema value Not available.

Recover days Not available.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

The finished product is not expected to have chronic health effects.

Mutagenicity

The finished product is not expected to have chronic health effects.

Carcinogenicity The finished product is not expected to have chronic health effects.

IARC Monographs. Overall Evaluation of Carcinogenicity

Ethanol (CAS 64-17-5) Volume 44, Volume 96, Volume 100E

ACGIH Carcinogens Volume 96, Volume 100E

Isopropyl Alcohol (CAS 67-63-0) A4 Not classifiable as a human carcinogen.

Reproductive toxicity The finished product is not expected to have chronic health effects.

Teratogenicity Not classified.

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful.

Further information Not available.

Name of Toxicologically
Synergistic Products

Not available.

12. Ecological Information

cotoxicity	See below		
Components		Species	Test Results
Ethanol (CAS 64-17-5)			
Crustacea	EC50	Daphnia	11744.5 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.7 - 11.2 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Isopropyl Alcohol (CAS 67	-63-0)		
Algae	IC50	Algae	1000 mg/L, 72 Hours
Crustacea	EC50	Daphnia	13299 mg/L, 48 Hours
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potentialNo data available.Mobility in soilNo data available.Mobility in generalNot available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13.	Disposal	Considerations
	DISDUSAI	Considerations

Disposal instructions Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Assign as required.

Waste from residues / unused Dispo

products

Dispose of in accordance with local regulations. This material and its packaging must be disposed of in a cofe manner (acc: Disposed instructions)

of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied packages may retain product residue, follow label warnings even after container is

emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Special Provision 47

Transportation of Dangerous Goods (TDG - Canada)


Basic shipping requirements:

UN number UN3175

Proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Ethanol)

Hazard class Limited Quantity - Canada
Packaging exceptions <1kg - Limitied Quantities





Page: 6 of 8 Issue date 15-May-2015

15. Regulatory Information

Canadian federal regulations

This product has been classified in accordance with the hazard criteria of the Controlled Products

Populations and the SDS contains all the information required by the Controlled Products

Regulations and the SDS contains all the information required by the Controlled Products

Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Ethanol (CAS 64-17-5) 1 TONNES Isopropyl Alcohol (CAS 67-63-0) 1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Ethanol (CAS 64-17-5) 0.1 % Isopropyl Alcohol (CAS 67-63-0) 1%

WHMIS status Exempt

WHMIS classification Exempt - Consumer product

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Isopropyl Alcohol (CAS 67-63-0) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Isopropyl Alcohol (CAS 67-63-0) Listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropyl Alcohol (CAS 67-63-0)

US CAA Section 111 Volatile Organic Compounds: Listed substance

Ethanol (CAS 64-17-5)

Isopropyl Alcohol (CAS 67-63-0)

Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely

hazardous substance

SARA 311/312 Hazardous chemical

SARA 313 (TRI reporting)

Chemical nameCAS number% by wt.Isopropyl Alcohol67-63-010 - 30

Other federal regulations

Safe Drinking Water Act Not regulated.

(SDWA)

Food and Drug Not regulated.

Administration (FDA)

US state regulationsThis product does not contain a chemical known to the State of California to cause cancer, birth

defects or other reproductive harm.

US - California Hazardous Substances (Director's): Listed substance

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US - Louisiana Spill Reporting: Listed substance

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US - Minnesota Haz Subs: Listed substance

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US - New Jersey RTK - Substances: Listed substance

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US - Texas Effects Screening Levels: Listed substance

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US. Pennsylvania RTK - Hazardous Substances

Ethanol (CAS 64-17-5) Listed. Isopropyl Alcohol (CAS 67-63-0) Listed.

US. Rhode Island RTK

Isopropyl Alcohol (CAS 67-63-0) Listed.

Inventory status


Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)NoUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0





Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date15-May-2015Effective date15-May-2015Expiry date15-May-2018Further informationRevision 0.

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the

first page of the document.

Based on bulk liquid 4OD24001.

Prepared by Professional Disposables International, Inc. Phone: 1-845-365-1700

Other information This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication

Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of

Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.

This product is not regulated under OSHA Hazard Communication Standard (HCS) 29 CFR 1910.1200 & the Canadian Hazardous Products Act (HPA); Controlled Product Regulations (CPR).

Page: 8 of 8