

Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Zep Original Orange 4-1GL
Material number	:	00000000000099124
Manufacturer or supplier's d	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone nur	nbe	rs
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	orange
Odour	pleasant

GHS Classification

Not a dangerous substance or mixture according to the Globally Harmonised System (GHS).

GHS Label element

Not a dangerous substance according to GHS.

Potential Health Effects

Carcinogenicity:

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 5 - < 10
Citrus, ext.	94266-47-4	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	Move out of dangerous area. Show this safety data sheet to the doctor in attenda Do not leave the victim unattended.	nce.
lf inhaled	f unconscious place in recovery position and seek advice. f symptoms persist, call a physician.	medical
In case of skin contact	This product is formulated for use on skin but shoul be immediately washed off with plenty of water. Dis use if irritation and redness develop. If conditions p more than 72 hours, condult a physician.	scontinue
In case of eye contact	Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. f eye irritation persists, consult a specialist. f in eyes, rinse with water for 15 minutes.	
If swallowed	Keep respiratory tract clear. Never give anything by mouth to an unconscious per f symptoms persist, call a physician. DO NOT induce vomiting unless directed to do so b obysician or poison control center.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Carbon dioxide (CO2)
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke
Specific extinguishing methods	:
Further information	: Collect contaminated fire extinguishing water separately. This



Version 1.0	Revision Date 05/08/2015	Print Date 05/12/2016
	must not be discharged into drains Fire residues and contaminated fire be disposed of in accordance with	e extinguishing water must
Special protective equipment for firefighters	: Wear self-contained breathing app necessary.	aratus for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use non-slip safety shoes in areas where spills or leaks can occur. Material can create slippery conditions. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid contact with eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Materials to avoid	:

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0



Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

Personal protective equipment

Hand protection Remarks	:	No special protection is required.
Eye protection	:	Eye protection is not required while washing with this product. In the workplace, the use of safety glasses is recommended to avoid eye exposure during the handling of containers or during spill clean-up.
Skin and body protection	:	No special protection is required.
Hygiene measures	:	Wash hands before breaks and at the end of workday. When using do not smoke. When using do not eat or drink.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Colour	:	orange
Odour	:	pleasant
Odour Threshold	:	no data available
рН	:	7.5 - 8.5
Melting point/freezing point	:	no data available
Boiling point	:	not determined
Flash point	:	
		no data available
Evaporation rate	:	no data available
Upper explosion limit	:	no data available
Lower explosion limit	:	no data available
Vapour pressure	:	no data available
Relative vapour density	:	no data available
Density	:	1.04 g/cm3
Solubility(ies)		
Water solubility	:	emulsifiable
Solubility in other solvents	:	not determined
Partition coefficient: n- octanol/water	:	no data available
Auto-ignition temperature	:	not determined
Thermal decomposition	:	no data available
Viscosity		
Viscosity, kinematic	:	no data available



Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

5	cute toxicity estimate : > 5,000 mg/kg ethod: Calculation method
---	---

Components:

Distillates (petroleum), h	ydrotreated light:
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg

Acute inhalation toxicity	: LC50 rat: > 4.6 mg/l Exposure time: 6 h

Acute dermal toxicity : LD50 rat: > 2,000 mg/kg

Skin corrosion/irritation

Product:

Result: No skin irritation

Serious eye damage/eye irritation

Product:

Result: No eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity



Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Distillates (petroleum), hydrotreated light: Citrus, ext.:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

no data available

Further information

Product:

Remarks: no data available

Components:

Distillates (petroleum), hydrotreated light: Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available Bioaccumulative potential

Product:

Partition coefficient: n-	:	Remarks: no data available
octanol/water		

Mobility in soil

no data available

Other adverse effects

no data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I



Version 1.0	Revision Date 05/08/2015	Print Date 05/12/2016		
Remarks	Substances This product neither contains, nor wa with a Class I or Class II ODS as det Clean Air Act Section 602 (40 CFR 8 + B).	fined by the U.S.		
Additional ecological : information	An environmental hazard cannot be event of unprofessional handling or a aquatic life.			
<u>Components:</u> Distillates (petroleum), hydrotreated light:				
Additional ecological : information	no data available			

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL



Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312	Hazards :	No SARA Hazards
SARA 302	:	SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Prop	65 quartz (SiO2) 2,2'-iminodietha	WARNING! This product contains a chemical known to the State of California to cause cancer. 14808-60-7 anol 111-42-2
The components of this product are reported in the following inventories:		

TSCAOn TSCA InventoryDSLThis product contains one or several components that are not on the
Canadian DSL nor NDSL.AICSNot in compliance with the inventory

- NZIOC Not in compliance with the inventory
- PICCS Not in compliance with the inventory
- IECSC Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 05/08/2015

Print Date 05/12/2016

Further information



OSHA GHS Label Information:

Not a dangerous substance according to GHS.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.