

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 02/12/2014 Date of issue: 02/12/2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : Chemical Cure Composite Base Paste
Synonyms : Composite Chemical Cure Universal

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Construction of dental composites. This product is part of a two-component

system. For use with catalyst component. For professional dental use only.

Version: 1.0

#### 1.3. Details of the supplier of the safety data sheet

#### Company

Henry Schein, Inc. 135 Duryea Road Melville, NY 11747

Telephone: 1-800-424-9300 www.henryschein.com

## 1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC; 1-703-527-3887 CHEMTREC - Outside USA

### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317

#### 2.2. Label elements

## **GHS-US labeling**

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P261 - Avoid breathing vapors.

P264 - Wash hands and forearms thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P280 - Wear eye protection, protective gloves.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention. P362 - Take off contaminated clothing and wash before reuse.

P501 - Dispose of contents/container according to local, regional, national,

and international regulations.

02/12/2014 EN (English US) 1/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS-US)

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
2-Propenoic acid, 2-methyl-, (1-	(CAS No) 1565-94-2	7 - 13	Skin Irrit. 2, H315
methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-			Eye Irrit. 2A, H319
3,1-propanediyl)] ester			Skin Sens. 1, H317
Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-	(CAS No) 41637-38-1	5 - 10	Skin Irrit. 2, H315
methylethylidene)di-4,1-phenylene]bis[.omega[(2-			Eye Irrit. 2B, H320
methyl-1-oxo-2-propenyl)oxy]-			Skin Sens. 1, H317
			STOT SE 3, H335
			Aquatic Chronic 4, H413
2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester	(CAS No) 6606-59-3	1 - 5	Skin Irrit. 2, H315
			Eye Irrit. 2A, H319
Silane, dichlorodimethyl-, reaction products with	(CAS No) 68611-44-9	1-5	Acute Tox. 2
silica			(Inhalation:dust,mist), H330
Ethanol, 2,2'-[(4-methylphenyl)imino]bis-	(CAS No) 3077-12-1	0.1 - 1	Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Acute Tox. 4
			(Inhalation:dust,mist), H332
			Skin Irrit. 2, H315
			Eye Dam. 1, H318
			Skin Sens. 1, H317

Full text of H-phrases: see section 16

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Wash skin thoroughly with mild soap and water. Remove contaminated

clothing. Obtain medical attention if irritation persists.

First-aid measures after eye contact : Immediately rinse with water for a prolonged period while holding the

eyelids wide open. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Exposure may produce an allergic reaction. Causes skin irritation. Causes

serious eye irritation.

Symptoms/injuries after inhalation : None expected under normal conditions of use.

Symptoms/injuries after skin contact : May cause skin irritation. May cause an allergic reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

Chronic symptoms : May cause an allergic skin reaction.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

02/12/2014 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 5: Firefighting measures**

5.1. Extinguishing media

Suitable extinguishing media : Not flammable. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Under conditions of fire this material may produce: Carbon oxides (CO, CO<sub>2</sub>).

Barium oxides. Silicon oxides. Low molecular weight hydrocarbons.

Explosion hazard : Product is not explosive.

Reactivity : Stable at ambient temperature and under normal conditions of use.

5.3. Advice for firefighters

Precautionary measures fire : Not flammable.

Firefighting instructions : Do not breathe fumes from fires or vapours from decomposition. All fire-

fighting personnel must wear safety suits.

Protection during firefighting : Use normal individual fire protective equipment. Use self-contained

breathing apparatus when fighting fire in an enclosed area.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not get in eyes, on skin, or on clothing. Do not breathe dust.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Large

spills: Use recommended respiratory protection.

Emergency procedures : Collect as any solid. Avoid creating or spreading dust. Any vacuum used for

clean-up must be equipped with high-efficiency (HEPA) filter.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Use

recommended respiratory protection. Large spills: Use recommended

respiratory protection.

Emergency procedures : Contain and collect as any solid. Ventilate area.

#### 6.2. Environmental precautions

Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : For small quantities associated with normal therapeutic use, collect spillage

and transfer to a closed waste container for disposal.

#### 6.4. Reference to other sections

See Heading 8, Exposure Controls and Personal Protection

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Wear recommended personal

protective equipment. Ensure there is adequate ventilation.

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

Always wash your hands immediately after handling this product, and once again before leaving the workplace. Do not eat, drink or smoke in areas

where product is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool place. Store in original container and keep tightly closed.

### 7.3. Specific end use(s)

Construction of dental composites.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

02/12/2014 EN (English US) 3/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Safety glasses. Gloves.





Hand protection : Impermeable protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste.

Color : No data available Odor : No data available Odor threshold : No data available : No data available рН Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available Freezing point : No data available **Boiling point** : No data available Flash point : No data available **Auto-ignition Temperature** : Not available Decomposition temperature : No data available : No data available Flammability (solid, gas) Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available

Density : > 1 g/cc

Solubility : Water: Insoluble Log Pow : No data available : No data available Log Kow Viscosity, kinematic : No data available : No data available Viscosity, dynamic **Explosive properties** : None known. Oxidizing properties : None known. **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Specific Gravity

Stable at ambient temperature and under normal conditions of use.

## 10.2. Chemical stability

Stable at standard temperature and pressure.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

02/12/2014 EN (English US) 4/7

: No data available

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide. Barium oxides. Silicon oxides. Low molecular weight hydrocarbon fragments.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)		
LC50 inhalation rat (mg/l)	0.477 mg/l/4h	
ATE (dust, mist)	0.477 mg/l/4h	
Skin corrosion/irritation	: Causes skin irritation.	

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Silica, vitreous (60676-86-0)	
IARC group	3

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None expected under normal conditions of use.

Symptoms/injuries after skin contact : May cause skin irritation. May cause an allergic reaction.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

Chronic symptoms : May cause an allergic skin reaction.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose of waste material in accordance with all local, regional, national,

and international regulations.

02/12/2014 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Transport by sea

No additional information available

Air transport

No additional information available

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Silica, vitreous (60676-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Poly(oxy-1,2-ethanediyl), .alpha.,.alpha.'-[(1-methylethylidene)di-4,1-phenylene]bis[.omega.-[(2-methyl-1-oxo-2-propenyl)oxy]- (41637-38-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

2-Propenoic acid, 2-methyl-, 1,6-hexanediyl ester (6606-59-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## 15.3. US State regulations

Silica, vitreous (60676-86-0)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

## **SECTION 16: Other information**

Revision date : 02/12/2014

Other information : This document has been prepared in accordance with the SDS requirements

of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H-phrases: see section 16:

Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4	
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Flam. Liq. Not classified	Flammable liquids Not classified	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H302	Harmful if swallowed	

02/12/2014 EN (English US) 6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H312	Harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H413	May cause long lasting harmful effects to aquatic life

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom 2012)

02/12/2014 EN (English US) 7/7



according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 02/12/2014 Date of issue: 02/12/2014

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : Chemical Cure Composite Catalyst Paste
Other means of identification : Composite Chemical Cure Catalyst

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Construction of dental composites. This product is part of a two-component

system. For use with base component. For professional dental use only.

Version: 1.0

#### 1.3. Details of the supplier of the safety data sheet

#### Company

Henry Schein, Inc. 135 Duryea Road Melville, NY 11747

Telephone: 1-800-424-9300

### 1.4. Emergency telephone number

Emergency number : 800-424-9300 CHEMTREC; 1-703-527-3887 CHEMTREC - Outside USA

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317

## 2.2. Label elements

### **GHS-US labeling**

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

Precautionary statements (GHS-US)

: P261 - Avoid breathing dust.

P264 - Wash hands and forearms thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the

workplace.

P280 - Wear eye protection, protective gloves, protective clothing. P302+P352 - IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 - If in eyes: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P321 - Specific treatment (see Section 4).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.

P501 - Dispose of contents/container according to local, regional, national,

and international regulations.

02/05/2014 EN (English US) 1/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS-US)

No data available

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
2-Propenoic acid, 2-methyl-, (1-	(CAS No) 1565-94-2	10 - 20	Skin Irrit. 2, H315
methylethylidene)bis[4,1-phenyleneoxy(2-			Eye Irrit. 2A, H319
hydroxy-3,1-propanediyl)] ester			Skin Sens. 1, H317
Dibenzoyl peroxide	(CAS No) 94-36-0	0.1 - 0.9	Org. Perox. B, H241
			Eye Irrit. 2A, H319
			Skin Sens. 1, H317

Full text of H-phrases: see section 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If medical advice is needed, have product container or label at hand.

First-aid measures after inhalation : If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Obtain medical attention if breathing difficulty persists.

First-aid measures after skin contact : Wash skin thoroughly with mild soap and water. Remove contaminated

clothing. Obtain medical attention if irritation persists.

First-aid measures after eye contact : Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Obtain medical attention.

First-aid measures after ingestion : If swallowed, do not induce vomiting: seek medical advice immediately and

show this container or label.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes serious eye irritation. Causes skin irritation. Exposure may produce an

allergic reaction.

Symptoms/injuries after inhalation : None expected under normal conditions of use.

Symptoms/injuries after skin contact : May cause skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : May cause severe irritation.

Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

Chronic symptoms : May cause an allergic skin reaction.

## 4.3. Indication of any immediate medical attention and special treatment needed

If medical advice is needed, have product container or label at hand.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Not flammable. Use extinguishing media appropriate for surrounding fire.

Unsuitable extinguishing media : None known.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Under conditions of fire this material may produce: Silicon oxides. Oxides of

aluminum. Low molecular weight hydrocarbon fragments. Carbon oxides

(CO, CO<sub>2</sub>).

Explosion hazard : Product is not explosive.

Reactivity : Stable at ambient temperature and under normal conditions of use.

5.3. Advice for firefighters

Precautionary measures fire : Not flammable.

02/05/2014 EN (English US) 2/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Firefighting instructions : Do not breathe fumes from fires or vapours from decomposition. All fire-

fighting personnel must wear safety suits.

Protection during firefighting : Use normal individual fire protective equipment. Use self-contained

breathing apparatus when fighting fire in an enclosed area.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Do not get in eyes, on skin, or on clothing. Do not breathe dust.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Large

spills: Use recommended respiratory protection.

Emergency procedures : Collect as any solid. Avoid creating or spreading dust. Any vacuum used for

clean-up must be equipped with high-efficiency (HEPA) filter.

6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection. Large

spills: Use recommended respiratory protection.

Emergency procedures : Contain and collect as any solid. Ventilate area.

#### 6.2. Environmental precautions

Do not allow to enter drains or water courses.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain and collect as any solid.

Methods for cleaning up : For small quantities associated with normal therapeutic use, collect spillage

and transfer to a closed waste container for disposal.

#### 6.4. Reference to other sections

See heading 8, Exposure Controls and Personal Protection.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Hygiene measures : Handle in accordance with good industrial hygiene and safety procedures.

Always wash your hands immediately after handling this product, and once again before leaving the workplace. Do not eat, drink or smoke in areas

where product is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in original container. Store in a dry, cool place.

Storage area : Store away from heat.

Special rules on packaging : Keep container closed when not in use.

#### 7.3. Specific end use(s)

Construction of dental composites.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Silica, amorphous, fumed, crystalline-free (112945-52-5)			
USA OSHA	OSHA PEL (TWA) (mg/m³)	6 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)	20 mppcf (80mg/m <sup>3</sup> /%SiO <sub>2</sub> )	
Aluminum oxide (1344-28-1)			
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³	
Dibenzoyl peroxide (94-36-0)			
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m³	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³	

### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.

02/05/2014 EN (English US) 3/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment : Safety glasses. Gloves.





Hand protection : Impermeable protective gloves.

Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of inadequate ventilation wear respiratory protection. Environmental exposure controls : Ensure adequate ventilation, especially in confined areas.

Consumer exposure controls : Wear recommended personal protective equipment. Do not breathe dust.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Paste.

Color : No data available Odor : No data available Odor threshold : No data available рН : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available Freezing point : No data available : No data available **Boiling point** Flash point : No data available Auto-ignition Temperature : Not available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Specific Gravity : No data available

Density : > 1 g/cc

Solubility : Water: Insoluble : No data available Log Pow Log Kow : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : None known. **Explosive** properties Oxidizing properties : None known. **Explosive limits** : No data available

#### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

#### 10.2. Chemical stability

Stable at standard temperature and pressure.

## 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

02/05/2014 EN (English US) 4/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under conditions of fire this material may produce: Carbon dioxide. Carbon monoxide. Silicon oxides. Oxides of aluminum. Low molecular weight hydrocarbon fragments.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity : Not classified

Aluminum oxide (1344-28-1)		
LD50 oral rat	> 15900 mg/kg	
LC50 inhalation rat (mg/l)	> 2.3 mg/l/4h	
Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)		
Silane, dichlorodimethyl-, reaction pr	oducts with silica (68611-44-9)	
Silane, dichlorodimethyl-, reaction pr LC50 inhalation rat (mg/l)	oducts with silica (68611-44-9)  0.477 mg/l/4h	

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Silica, vitreous (60676-86-0)		
IARC group	3	
Silica, amorphous, fumed, crystalline-free (112945-52-5)		
IARC group	3	
Dibenzoyl peroxide (94-36-0)		
IARC group	3	

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : None expected under normal conditions of use.

Symptoms/injuries after skin contact : May cause skin irritation. May cause an allergic skin reaction.

Symptoms/injuries after eye contact : May cause severe irritation.

Symptoms/injuries after ingestion : Ingestion is likely to be harmful or have adverse effects.

Chronic symptoms : May cause an allergic skin reaction.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Aluminum oxide (1344-28-	L)	
LC50 fish 1	14.6 mg/l	
EC50 Daphnia 1	38.2 mg/l	
NOEC (acute)	> 50 mg/l	

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

02/05/2014 EN (English US) 5/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

## **SECTION 14: Transport information**

In accordance with DOT / IMDG / IATA

#### 14.1. UN number

Not applicable

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Additional information

Transport by sea

No additional information available

Air transport

No additional information available

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

# 2-Propenoic acid, 2-methyl-, (1-methylethylidene)bis[4,1-phenyleneoxy(2-hydroxy-3,1-propanediyl)] ester (1565-94-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### Silica, vitreous (60676-86-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### **Aluminum oxide (1344-28-1)**

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 % (fibrous forms)

#### Dibenzoyl peroxide (94-36-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1.0 %

#### Silane, dichlorodimethyl-, reaction products with silica (68611-44-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.3. US State regulations

#### Silica, vitreous (60676-86-0)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List

#### Aluminum oxide (1344-28-1)

- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List

02/05/2014 EN (English US) 6/7

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## U.S. - Pennsylvania - RTK (Right to Know) List

#### Dibenzoyl peroxide (94-36-0)

- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List
- U.S. New Jersey TCPA Extraordinarily Hazardous Substances (EHS)
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

## **SECTION 16: Other information**

Revision date : 02/12/2014

Other information : This document has been prepared in accordance with the SDS requirements

of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Full text of H-phrases: see section 16:

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A	
Org. Perox. B	Organic Peroxide Category B	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
Skin Sens. 1	Skin sensitization Category 1	
H241	Heating may cause a fire or explosion	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom 2012)

02/05/2014 EN (English US) 7/7